What Is Claimed Is:

- A method of producing an antibody that specifically binds the polypeptide of SEQ ID
 NO:2 comprising:
 - (a) introducing into an animal a polypeptide comprising an amino acid sequence selected from the group consisting of:
 - (i) amino acids -14 to 378 of SEQ ID NO:2;
 - (ii) amino acids -13 to 378 of SEQ ID NO:2; and
 - (iii) amino acids 1 to 378 of SEQ ID NO:2; and
 - (b) recovering said antibody.
- 2. The method of claim 1 wherein the antibody binds a polypeptide consisting of amino acids -14 to 378 of SEQ ID NO:2.
- 3. The method of claim 1 wherein the antibody binds a polypeptide consisting of amino acids -13 to 378 of SEQ ID NO:2.
- 4. The method of claim 1 wherein the antibody binds a polypeptide consisting of amino acids 1 to 378 of SEQ ID NO:2.
- 5. The method of claim 1 wherein the antibody is a polyclonal antibody.
- 6. The method of claim 1 that also comprises the step of generating a hybridoma prior to recovering said antibody.
- 7. The method of claim 6 wherein the antibody is a monoclonal antibody.
- 8. A method of producing an antibody that specifically binds the full-length polypeptide encoded by the cDNA in American Type Culture Collection (ATCC) Deposit No. 97657 comprising:
 - (a) introducing into an animal a polypeptide selected from the group consisting of:

- the full length amino acid sequence as encoded by the cDNA clone contained in ATCC Deposit No. 97657;
- (ii) the mature amino acid sequence as encoded by the cDNA clone contained in ATCC Deposit No. 97657; and
- (iii) full-length protein encoded by the cDNA contained in ATCC Deposit No. 97657, excepting the N-terminal methionine; and
- (b) recovering said antibody.
- 9. The method of claim 8 wherein the antibody binds a polypeptide consisting of the full length amino acid sequence as encoded by the cDNA clone contained in ATCC Deposit No. 97657.
- 10. The method of claim 8 wherein the antibody binds a polypeptide consisting of the mature sequence as encoded by the cDNA clone contained in ATCC Deposit No. 97657.
- 11. The method of claim 8 wherein the antibody binds a polypeptide consisting of the full-length protein encoded by the cDNA contained in ATCC Deposit No. 97657, excepting the N-terminal methionine; and
- 12. The method of claim 8 wherein the antibody is a polyclonal antibody.
- 13. The method of claim 8 that also comprises the step of generating a hybridoma prior to recovering said antibody.
- 14. The method of claim 13 wherein the antibody is a monoclonal antibody.
- 15. A method of producing an antibody that specifically binds the polypeptide of SEQ ID NO:2 comprising:
 - (a) screening a single chain or Fab expression library to identify an antibody that specifically binds a polypeptide selected from the group consisting of:
 - (i) amino acids -14 to 378 of SEQ ID NO:2;

- (ii) amino acids -13 to 378 of SEQ ID NO:2; and
- (iii) amino acids 1 to 378 of SEQ ID NO:2; and
- (b) recovering said antibody from said library.
- 16. The method of claim 15 wherein the antibody is a single chain antibody.
- 17. The method of claim 15 wherein the antibody is an Fab fragment.
- 18. The method of claim 15 wherein the polypeptide consists of amino acids -14 to 378 of SEQ ID NO:2.
- 19. The method of claim 15 wherein the polypeptide consists of amino acids -13 to 378 of SEQ ID NO:2.
- 20. The method of claim 15 wherein the polypeptide consists of amino acids 1 to 378 of SEQ ID NO:2.
- 21. A method of producing an antibody that specifically binds the polypeptide encoded by the cDNA in ATCC Deposit No. 97657 comprising:
 - (a) screening a single chain or Fab expression library to identify an antibody that binds a polypeptide selected from the group consisting of:
 - (i) the full length amino acid sequence as encoded by the cDNA clone contained in ATCC Deposit No. 97657;
 - (ii) the mature amino acid sequence as encoded by the cDNA clone contained in ATCC Deposit No. 97657; and
 - (iii) full-length protein encoded by the cDNA contained in ATCC Deposit No. 97657, excepting the N-terminal methionine; and
 - (b) recovering said antibody from said library.
- 22. The method of claim 21 wherein the antibody is a single chain antibody.
- 23. The method of claim 21 wherein the antibody is an Fab fragment.

- 24. The method of claim 21 wherein the polypeptide consists of the full length amino acid sequence as encoded by the cDNA clone contained in ATCC Deposit No. 97657.
- 25. The method of claim 21 wherein the polypeptide consists of the mature amino acid sequence as encoded by the cDNA clone contained in ATCC Deposit No. 97657.
- 26. The method of claim 21 wherein the polypeptide consists of the full-length protein encoded by the cDNA contained in ATCC Deposit No. 97657, excepting the N-terminal methionine.